
Body-Solid





BODY-SOLID,Inc. 1900 S. Des Plaines Ave. Forest Park, IL 60130 USA Phone:(708)427-3555 Fax:(708)427-3556 www.bodysolid.com

SLE-200G.1 OWNER'S MANUAL

Warning, Safety & Maintenance

Be sure that all users carefully read and understand all warning, safety and maintenance labels on the machine before each use. Failure to do so may result in death or serious injury.

It is imperative that you retain your Owner's Manual and be sure all warning labels are legible and intact. Replacement Owner's Manuals and warning labels are available from your local Body-Solid dealer.

If you have any questions about the operation, set up or maintenance of this machine please call our customer service department at 1 (800) 556-3113.

THERE IS A RISK ASSUMED BY INDIVIDUALS WHO USE THIS TYPE OF EQUIPMENT. TO MINIMIZE RISK, YOU MUST FOLLOW THESE RULES:

- 1. Inspect equipment before each workout. Check that all nuts, bolts, screws and pop pins are in place and fully tightened. Also, before use, check cables for signs of wear. Replace all worn parts immediately. Never use machine if any parts are damaged or missing. FAILURE TO FOLLOW THESE RULES MAY RESULT IN SERIOUS INJURY.
- Keep clear of the cables and all moving parts when the machine is in use.
 Always make sure all Snap Links are closed when doing any cable/pulley/strap exercises.
- Exercise with care. Perform your exercises at a smooth moderate pace; never perform jerky or uncoordinated movements that may cause injury. It is recommended that you should workout with a training partner.
- Do not allow children or minors to play on or around this equipment. If unsure of proper use of equipment, call your local Body-Solid distributor or the Body-Solid customer service department at 1-800-556-3113.
- WARNING: Consult your physician before starting your exercise program. For your own safety, do not begin any exercise program without proper instruction. RAL8-6-03 WC-54

Safety and Maintenance of Cables

IMPORTANT: Cables are responsibility to prevent unexpected breakage. Cable inspection should be performed daily. Inspect all cables, the nylon coating on all cables, and the area near the fitting at each end of each cable Replace any damaged or worn cable immediately. or worn cables are replaced. Using or allowing a machine to be used with a suspect cable can Owner's Manual for more

For Body-Solid Customer Service Call 1-800-556-3113

information.

Check the function and integrity of the following components. K As noted, Inspect equipment before each workout. Replace all damaged, broken or worn components immediately. L Υ Y Cables: Check tension, end fittings, and coating Check that locking nut at weight stack is tight Upholstery: Wipe down and dry Clean and condition Wipe down and dry Frame: Polish / Wax Chrome: Wipe down and dry Polish / Lubricate Nuts / Bolts / Fasteners: Tighten and / or adjust as needed Guide Rods: Lubricate and clean Linear Rods: Lubricate and clean Seat Sleeves: Lubricate and clean Adjustments / Locking Pins / Tightening Knobs Weight Stack Pins Warning Instruction Labels Springs / Pop Pins Anti Skid Surfaces Hand Grips/Rollers

For Body-Solid Customer Service Call 1-800-556-3113

D E

A E

Important Safety Instructions

Before beginning any fitness program, you should obtain a complete physical examination from your physician.

Il est conseille de subir un examen medical complet avant d'entreprendre tout programme d'exercise. Si vous avez des etourdissements ou des faiblesses, arretez les exercices immediatement.

Antes de comenzar cualquier programma de ejercicios, deberias tener un examen isico con su doctor.

When using exercise equipment, you should always take basic precautions, including the following:

- Read all instructions before using your machine.
 These instructions are written to ensure your safety and to protect the unit.
- Do not remove any safety labels from the machine.
- O Do not allow children on or near the equipment.
- O Use the equipment only for its intended purpose as described in this guide. Do not use accessory attachments that are not recommended by the manufacturer. Such attachments might cause injuries.
- Wear proper exercise clothing and shoes for your workout, no loose clothing.
- Keep hands, limbs, loose clothing, and long hair well out of the way of all moving parts.
- O Use care when getting on or off the unit.
- O Do not overexert yourself or work to exhaustion.
- If you feel any pain or abnormal symptoms, stop your workout immediately and consult your physician.
- Never operate unit when it has been dropped or damaged. Return the equipment to a service center for examination and repair.
- Never drop or insert objects into any opening in the equipment.
- O IMPORTANT: Cables are wear items. It is your responsibility to prevent unexpected breakage. Cable inspection should be performed daily. Inspect all cables, and the area near the fitting at each end of each cable. Replace any damaged or worn cable immediately. Do not allow the machine to be used until these are replaced.
- O Do not use the equipment outdoors or near water.

Personal Safety During Assembly

- Before beginning assembly, please take the time to read the instructions thoroughly.
- O Read each step in the assembly instructions and follow the steps in sequence. Do not skip ahead. If you skip ahead, you may learn later that you have to disassemble components and that you may have damaged the equipment.
- Assemble and operate your machine on a solid, level surface. Locate the unit a few feet from the walls or furniture to provide easy access.

Your machine is designed for your enjoyment. By following these precautions and using common sense, you will have many safe and pleasurable hours of healthful exercise.

After assembly, you should check all functions to ensure correct operation. If you experience problems, first recheck the assembly instructions to locate any possible errors made during assembly. If you are unable to correct the problem, call the dealer from whom you purchased the machine or call **1-800-556-3113** for the dealer nearest you.

Obtaining Service

Please use your Owner's Manual to make sure that all parts have been included in your shipment. When ordering parts, you must use the part number and description from your Owner's Manual. Use only Body-Solid replacement parts when servicing this machine. Failure to do so will void your warranty and could result in personal injury.

For information about product operation or service, check out the official Body-Solid website at www.bodysolid.com or contact an authorized Body-Solid dealer or a Body-Solid factory-authorized service company or contact Body-Solid customer service at one of the following:

Toll Free: 1-800-556-3113
Phone: 1-708-427-3555
Fax: 1-708-427-3556
Hours: M-F 8:30-5:00 CST
E-Mail: service@bodysolid.com


Or write to: Body-Solid, Inc.


Service Department 1900 S. Des Plaines Ave. Forest Park, IL 60130 USA

Retain this Owner's Manual for future reference. If you need to order replacement parts please be prepared to provide the following information when contacting us so that we can assist you better.

- 1. Model Number
- 2. Proof of Purchase
- 3. Place of Purchase
- 4. Serial Number (S/N)
- 5. Part # and Description

HARDWARE ILLUSTRATION







(A3)HEX BOLT 1/2"X5"L PARTIAL QTY.4




(A4)HEX BOLT 1/2"X3-3/4"L PARTIAL QTY.2



(A5)HEX BOLT 1/2"X2-1/4"L PARTIAL QTY.3



HARDWARE ILLUSTRATION



(A11)10LB PIN (8250-022) QTY.1




HARDWARE ILLUSTRATION

$/ \cap $	
$(\langle \rangle)$	
	<u> </u>


(A12) ROUND INNER HEAD 5/16"X1-1/2" PARTIAL QTY.1




(A13)STEEL BUSHING Ø1/2"XØ8.5X21L QTY.1



HARDWARE ILLUSTRATION





(B1)NYLON LOCK NUT 1/2" QTY.16 (C3)5/16"(I.D.) WASHER Ø24 QTY.7










(B2)LOCK NUT 5/8" QTY.1

(C4)5/16" SPRING WASHER QTY.7








(B3)NYLON LOCK NUT 5/16" QTY.1


(C5)5/8" SPRING WASHER QTY.1





(C1)ROUND END CAP WASHER QTY.32





(C2)Ø1"CHROME WASHER QTY.2




HARDWARE ILLUSTRATION

D1.	D1.1/2" BOLE	E CAP(9212-024	ļ)		-[32PCS]
	D2.2"X4" FO	OT END CAP(92	211-028)		[4PCS]
		t END CAP(921			[2PCS]
	D5.Ø2" NYLC	N WASHER (92	214-001)		[2PCS]
	D6.Ø4" RUBE	BER DONUT(93	10-017)		[2PCS]
	D7.Ø6" PULL	EY(9213-009)			[1PCS]
D2.		JLLEY(9213-01)			
^	D10.Ø3/4" SH	HAFT COLLAR(9211-046)		[2PCS]
		JBBER DOUNT			
		RUBBER GRIF			
		YLON BUSHING			
	D16.Ø2-1/2" I	RUBBER DOUN	IT(9310-014)		[2PCS]
	D17.Ø150X22	25 FOAM ROLL	ER(9161-015)	[2PCS]
D3.		E TOP PLATE(8		, 	
		SELECTOR BA)	[1PCS]
	D20.3750mm	STEEL CABLE		·	[1PCS]
		L STEEL BUSH			
		OUND END CAP			
	D23.Ø5/8" SH	HAFT COLLAR(8130-024)		[2PCS]
		ON WASHER(9			[4PCS]
	221120 1112		211 000)		
D5.	D6.	D7.		D8.	
D0.	D0.	<i>D</i> 1.		D0.	
					<i></i>
				_	
D40	D44	D40		D4.4	
D10.	D11.	D12.		D14.	
				A	
		۱ /	///	S S	
				U*	
D16.	D17.	D18.		D19.	609
D10.		ر الال . • الالا		טוש.	Book
		\			Se S
				88	
	(0)			S. S. S.	
				6	
				•	
D20.	D04	Doo	Doo	D0.4	
D20.	D21.	D22.	D23.	D24.	
		_			
		\mathcal{L}			
		$\mathcal{O}\mathcal{M}$	<i> </i>	(\bigcirc
0750					
3750					


SLE200G.1-112007 Page 2

PARTS ILLUSTRATION SHEET

A1.[1SET] WEIGHT STACK FRAME




C.[1SET] MIDDLE SUPPORT FRAME




B.[1SET] BOTTOM PULLEY FRAME


D1.[1SET] MAIN BODY FRAME




E.[1SET] LEG EXTENSION FRAME




F.[1SET] ADJUSTABLE BACK SUPPORT



G.[1SET] BACK PAD FRAME



H.[1SET] TOP PULLEY FRAME




I.[1PCS] ROLLER BAR FRAME



J.[1SET] ROLLER BAR FRAME





SLE200G.1-112007 Page 3

PARTS ILLUSTRATION SHEET

K.[2PCS] CHROME GUIDE ROD (8280-002)Ø3/4"X1765L L1.[1PCS] FOOT ROLLER BAR (8220-058)Ø1"X610L


M.[3PCS] 2"X8" PLATE (8312-077)




M.[2PCS] SEAT BRACKET (8333-001)




O.[1PCS] SEAT PAD (9121-002)



P.[1PCS] BACK PAD (9111-014)



Q[1PCS]BACK PAD BUBBER (9119-001)



SLE-200G LEG EXTENSION ASSEMBLY STEPS

STEP-1

NOTE: DO NOT TIGHTEN NUTS AND BOLTS SECT\URELY UNTIL YOU HAVE COMPLETED ALL ASSEMBLY STEPS.

- □ Attach A1 Weight Stack Frame and d Main Body Frame to B Bottom pulley Frame.
- □ Attach C Middle Support Frame to A1 Weight Stack Frame and D1 Main Body Frame.
- □ Attach E Leg Extension Frame to D1 Main Body Fame.
- □ Attach F Adjustable Back Support and J Handle Bar to D1 Main Body Frame.

STEP-2

- □ Attach N Seat Brackers to D1 Main Body Frame.
- □ Attach O Seat Pad to D1 Main Body Frame and N Seat Brackers.
- □ Attach P Back Pad to D1 Main Body Frame.
- □ Slide G Back Pad Frame into F adjustable Back support.

CAUTION: DO NOT OVERTIGHTEN PAD BOLTS.

OVERTIGHTENING WILL STRIP

T-NUTS In THE WOOD

STEP-3

- □ Attach K Chrome Guide rods and D6 Rubber Dount to A1 Weight Stack Frame.
- □ Slide Weight Stack and D18 Chrome Top Plate onto K Chrome Guide rods.
- □ Attach H Top Pulley Frame E Leg Extension Frame.
- □ Slide L1 Foot Roller Bar into I Roller Bar Frame.
- □ Attach D17 Foam Rollers.


STEP-4


- □ Attach Pulleys and Cables as shown.
- □ Attach Edn Caps and Grips.
- □ TIGHTEN ALL NUTS AND BOLTS SECURELY.
- □ Attach Bolt Caps.


SAFETY RULES


- 1. Periodically check that all nuts.bolts and screws are fully tightened on your LEG EXTENSION MACHINE.
- 2. Exercise with care. Perform your exercises at a smooth moderate pace; never perform jerky or uncoordinated movements that may cause injury.
- 3. It is recommended that you should workout with a training partner.
- 4. **Warning**: COUSULT YOUR PHYSICIAN BEFORE STARTINF TOUR EXERCISE PROGRAM. IT IS ADVISABLE TO HAVE A PHYSICAL EXAMINATION BEFORS YOU ENTER ANY EXERCISE PROGRAM. FOR YOUR OWN SAFTEY, DO NOT BEGIN ANY EXERCISE WITHOUT PROPER INSTRUCTION.











SLE-200G.1-112007 Page 8